PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 80066 Si/Ve			ent's file reference	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416			
International application No. PCT/DK2005/000038				International filing date 21.01.2005	e (day/mont	h/year)	Priority date (day/month/year) 13.02.2004
Interna INV.			ent Classification (IPC) or bo 4	oth national classification	and IPC		
Applica DAMI		A/S e	et al.				
1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.						
2.	This REPORT consists of a total of 4 sheets, including this cover sheet.						
C	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).						
٦	Thes		nexes consist of a total of		uve msuu	cuons under	me PCT).
3. 7	This i	repor	t contains indications rela	ating to the following i	tems:		
ı		\boxtimes	Basis of the opinion				•
1	1		Priority				
ļ	11		Non-establishment of o	pinion with regard to r	ovelty, inv	entive step a	and industrial applicability
ľ	٧		Lack of unity of invention	n			
\	/	☒	Reasoned statement un citations and explanation	nder Rule 66.2(a)(ii) w ns supporting such st	ith regard atement	to novelty, in	ventive step or industrial applicability;
\	VI		Certain documents cited	t			
	VII Certain defects in the international application						
١	VIII Certain observations on the international application						
Date of submission of the demand			Date of completion of this report				
29.09.2005			12.05.2006				
Name and mailing address of the international			Authorized Officer				
preliminary examining authority: European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016			Van Bo	st, S e No. +31 70 3	40-4618		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/DK2005/000038

l.	Basis	of	the	re	port
----	-------	----	-----	----	------

 With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	Description, Pages							
	1-8		as originally filed						
	Cla	ims, Numbers	·						
	1-8		filed with telefax on 29.09.2005						
	Dra	wings, Sheets							
	1/8-	8/8	as originally filed						
2.	Witl lang	h regard to the lang u guage in which the in	lage, all the elements marked above were available or furnished to this Authority in the ternational application was filed, unless otherwise indicated under this item.						
	The	ese elements were av	vailable or furnished to this Authority in the following language: , which is:						
		the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).							
		the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).							
3.	With inte	n regard to any nucle rnational preliminary	eotide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:						
		contained in the international application in written form.							
		filed together with the international application in computer readable form.							
		furnished subsequently to this Authority in written form.							
		furnished subsequently to this Authority in computer readable form.							
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.							
		The statement that the information recorded in computer readable form is identical to the written sequel listing has been furnished.							
4.	The	amendments have re	esulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						
		the drawings,	sheets:						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/DK2005/000038

5. 🗆	This report has been established as if (some of) the amendments had not been made, since they have
	been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

- 6. Additional observations, if necessary:
- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)	Yes: No:	Claims Claims	2,4-8 1,3
Inventive step (IS)		Claims Claims	1-8
Industrial applicability (IA)	Yes: No:	Claims Claims	1-8

2. Citations and explanations

see separate sheet

0/589402

IAP11 Rec'd PCT/PTO 14 AUG 2006

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/DK2005/000038

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability: citations and explanations supporting such statement

1.1 The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 1 is not new in the sense of Article 33(2) PCT.

The document US-A-2 903 710 discloses (cf. col.2/l.30-col.4/l.3, figures) a mixer tap with a vertically movable spout (25) and an adjusting means (12,13), wherein the spout (25) can be moved from a lowered position and retracted by means of a piston rod (21) of a hydraulic cylinder, the movement of the piston rod (21) being controlled by the pressure from the water supply, and the water supply to the spout is not opened until the piston rod is in its most extended position (cf. in particular col.3/l.29-36).

Thus all features of claim 1 are known from document US-A-2 903 710.

- 1.2 Document US-A-2 903 710 also discloses the features of claim 3, therewith rendering the subject-matter of claim 3 not new.
- 2.1 Dependent claims 4 and 5-7 seem not to contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of inventive step, see the documents and the corresponding passages cited in the search report.
- 2.2 Dependent claims 2 and 8 seem to relate to slight constructional changes of the mixer tap according to claim 1, which come within the scope of the customary practice followed by persons skilled in the art, especially as the advantages thus achieved can readily be foreseen. Consequently, the subject-matter of claims 2 and 8 also lacks an inventive step.







.29. SEP. 2005 12:39

CHAS HUDE PATENT

10/589402 NO. 4611 P.

IAP11 Rec'd PCT/PTO 14 AUG 2006

1

Claims

- 1. Mixer tap with a vertically movable spout (2) and an adjusting means (4), characterised in that the spout (2) can be moved from a lowered or a hidden position and retracted by means of a piston rod of a hydraulic cylinder (6), the movements of the piston rod being controlled by the pressure from the water supply, and the water supply to the spout (2) is not opened until the piston rod is in its most extended, preferably upper most position.
- 10 2. Mixer tap according to claim 1, characterised in that a downward movement of the piston rod is activated by depressing the end of the spout (2) and releasing a snap lock (18).
- 3. Mixer tap according to claim 1 or 2, characterised in that the downward movement of the piston rod is activated by depressing and keeping the adjusting means (4') down until the spout (2) has adopted its lowered position.
- 4. Mixer tap according to claim 1 or 3, characterised in that the upward and downward movement of the spout (2) is activated alternately by momentarily depressing adjusting means (4).
- 5. Mixer tap according to claim 1, characterised in that a toothed rack (28) is inserted between the piston rold of the hydraulic cylinder (27) and the spout (22), said toothed rack meshing with a gear wheel (29) connected with a second wheel, preferably a gear wheel, driving a belt (30), preferably a toothed belt, connected to the spout (22).
 - 6. Mixer tap according to claim 5, characterised in that the toothed belt (30) communicates with the spout (22) via a slide (31) which may slide along a track (33).

BEST AVAILABLE COPY

1

ጉ

30

1







29. SEP. 2005 12:39 ·

CHAS HUDE PATENT

NO. 4611 P. 7

2

- 7. Mixer tap according to claim 5 or 6, characterised in that the associated hydraulic control circuit is adapted such that water is not turned on until the spout (22) is in its uppermost position.
- 5 8. Mixer tap according to claim 7, characterised in that a slide valve (36) activated by the piston rod is provided to detect when the spout (22) is in its uppermost position.

BEST AVAILABLE COPY

AMENDED SHEET

Empf pr •070 P 007

